




SGT SANAYİ VE TİCARİ
ÜRÜNLER DİŞ TİCARET A.Ş.


20
22

CATALOG

 JUNIOR®



ÇOK CEPLİ - MULTIPLE POCKET



ÇİFT YÖNLÜ - REVERSABLE




YELEK - VEST



FOSFORLU - HIGH VISIBILITY



5 in 1 PARKA - 5 in 1



KOLU ÇIKMALI - DETACHABLE SLEEVE



İÇİ POLARLI - POLAR FLEECE



YAĞMURLUK- RAINCOAT



Bu işaret, ürünün AB'nin Yeni Yaklaşım Direktiflerine uygun olarak üretildiğini ve belgelendirildiğini göstermektedir
Notified Body : 0161 (ASOCIACION DE INVESTIGACION DE LA INDUSTRIA TEXTIL) **AITEX**

Notified Body : 0511 (ALLGEMEINE UNFALLVERSICHERUNGSANSTALT - SICHERHEITSTECHNISCHE PRÜFSTELLE) **AUVA**



Isıl Risklere (Isı ve/veya ateş) Karşı Koruyucu Eldivenler

Bu standart ısıya veya yangına karşı koruma sağlayan eldivenler için olan termal performansı belirleyerek, termal tehlikelere karşı koruma sağlamaktadır.



Mekanik Risklere Karşı Koruyucu Eldivenler

EN 388, kesilme, yırtılma, delinme ve aşınma olarak sıralanabilecek mekanik tehlikelere karşı koruyan eldivenleri ilgilendiren Avrupa standardıdır.



Profesyonel Kullanım İçin Yüksek Görülebilirlik Uyarısı Olan Giyecek

Bu standard, kullanıcının varlığını görsel olarak işaret etme özelliği olan gün ışığında ve karanlıkta araç farlarının aydınlatması altında tehlikeli durumlarda kullanıcının fark edilmesini sağlamak amacıyla tasarlanan koruyucu giyecek için özellikleri kapsar.

SAFETY CLOTHES AND GLOVES

PARKAS



JN1003 5in1 Parka



Explanation:

Outer jacket, high neck concealed hood, hood with cord elastic. Zipper with two-way snap fastener, two flat closed pockets at the bottom, portfolio pocket inside, one phone pocket, one side zippered pocket on the chest. Two on the shoulders and two on the body, with two reflector tapes on both arms. The inner jacket has a zipper on the collar, fleece-lined, two side pockets at the bottom

Product Technical Features:

Colour	Yellow-Dark Blue
PPE Category	Category II
Outer Material	300D Polyester/Oxford PU Parka
Outer Jacket Lining	100% Polyester Liner
Inner Jacket Material:	300D Polyester/Oxford PU Parka
Inner Jacket Lining:	280gr/m2 Polar Liner



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/carton
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1004 5in1 Parka



Explanation:

Outer jacket, high neck concealed hood, hood with cord elastic. Zipper with two-way snap fastener, two flat closed pockets at the bottom, portfolio pocket inside, one phone pocket, one side zippered pocket on the chest. Two on the shoulders and two on the body, with two reflector tapes on both arms. The inner jacket has a zipper on the collar, fleece-lined, two side pockets at the bottom

Product Technical Features:

Color	Orange-Navy Blue
PPE Category	Category II
Outer Material	300D Polyester/Oxford PU Parka
Outer Jacket Lining	100% Polyester Liner
Inner Jacket Material:	300D Polyester/Oxford PU Parka
Inner Jacket Lining:	280gr/m2 Polar Liner



Packing details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1011 High Visibility Oxford Parka



Explanation:

High-neck concealed hood, hood with cord elastic Two-way snap zipper. two flat flap pockets on the lower part, a portfolio pocket on the inside, one phone pocket, two on the shoulder, two on the body, reflective tape on both arms. There is a place to put an ID card.

Technical Details:

Color:	Yellow
PPE Category:	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining:	100% Polyester Liner
Filling Material :	300D Polyester/Oxford PU Parka
Inner Jacket Lining:	Fiber Quilting



Paking Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1012 High Visibility Oxford Parka



Explanation :

High-neck concealed hood, hood with cord elastic Two-way snap zipper. two flat flap pockets on the lower part, a portfolio pocket on the inside, one phone pocket, two on the shoulder, two on the body, reflective tape on both arms. Has an ID card slot.

Technical Details:

Color	Orange
PPE Category	Catgeory I
Outer Material	300D Polyester/Oxford PU Parka
Lining	100% Polyester Liner
Filling metarial:	300D Polyester/Oxford PU Parka
Inner Jacket Lining:	Fiber Quilting



Packing Details :

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1011/P Polar Fleece High Visibility Oxford Parka





Explanation:

Concealed high-neck hood, hood with cord elastics, fleece inside and two-way snap zip fastening. Two flat flap pockets on the lower part, a portfolio pocket on the inside, one phone pocket, two on the shoulder, two on the body, and reflective tape on both arms. There is a place to put an ID card.

Technical Details:

Color	Yellow
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	280 gr/m2 Fiber Quilting



Packing Details :

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1012/P Polar Fleece High Visibility Oxford Parka




Explanation:

Concealed high-neck hoodie, fleece inside hood with elasticated snap-buttons. Portfolio pocket in the lower two two-piece flap pockets, one phone, two pockets on the shoulder, reflective tape on both arms. It has an ID card slot.

Technical Details:

Color	Orange
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	Glass Fiber Quilting



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1013 High Visibility Oxford Parka




Explanation:

Two-colour, high-neck concealed hood, hood with cord elastic. Zipper with two-way snap fastener. Two flat flap pockets on the lower part, a portfolio pocket on the inside, one phone pocket, two on the shoulders, two on the body, and reflective tape on both arms. There is a place to put an ID card.

Technical Details:

Color	Yellow/Dark Blue
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	100% Polyester Liner
Filling Material	190 gr/m2 Polyester Liner



Packing Details :

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1014 High Visibility Oxford Parka



Explanation:

High-neck concealed hood, hood with cord elastic Two-way snap zipper. two flat flap pockets on the lower part, a portfolio pocket on the inside, a phone pocket, two on the shoulders, two on the body, and reflective tape on both arms. There is a place to put an ID card.

Technical Details:

Color	Yellow/Dark Blue
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	100% Polyester Liner
Filling Material	190 gr/m2 Polyester Liner



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1021/S Fixed Pilot Jacket




Explanation:

Concealed hood with high neck zip fastening. Fixed arm, elastic waist. There is a place to put an ID card.

Technical Details:

Color	Yellow
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	100% Polyester Liner
Filling Material	190 gr/m2 Polyester



EN ISO 20471



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKALAR



JN1022/S Fixed Pilot Jacket



Explanation:

Concealed hood with high neck zip fastening. Fixed arm, elastic waist. There is a place to put an ID card.

Technical Details:

Color	Yellow
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	100% Polyester Liner
Filling Material	190 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKALAR



JN1021/P Detachable Sleeve and Polar Fleece Pilot Jacket



Explanation:

Concealed hood with high neck zip fastening. Detachable zippered sleeve, elastic waist, fleece inside, phone pocket, chest pocket. There is a place to put an ID card.

Technical Details:

Color	Yellow
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	280 gr /m2 Polar Liner



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1022/P Detachable Sleeve and Polar Fleece Pilot Jacket



Explanation:

Concealed hood with high neck zip fastening. Detachable zippered sleeve, elastic waist, fleece inside, phone pocket, chest pocket. There is a place to put an ID card.

Technical Details:

Color	Orange
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	280 gr /m2 Polar Liner



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1021/2 Color Detachable Sleeve and Polar Fleece Pilot Jacket



Explanation:

2-colour, concealed hood with zip-neck on high collar. Detachable zippered sleeve, elastic waist, fleece interior, phone pocket, chest pocket. There is a place to put an ID card.

Technical Details:

Color	Yellow/Navy Blue
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	280 gr/m2 Polar Liner



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1022/2 Color Detachable Sleeve and Polar Fleece Pilot Jacket



Explanation:

Available in 2 colours: Concealed hood with high collar and zippered neck. Zipper sleeve, elastic waist, fleece interior, phone pocket, chest pocket. It has an ID card slot.

Technical Details :

Color	Yellow
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	280 gr/m2 Polar Liner



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1024 Navy Blue Oxford Parka



Explanation:

High-neck drawstring pull cord elastic, 2 flat flap pockets at the bottom, portfolio pocket inside, one phone pocket with zipper. There is a place to put an ID card.

Technical Details:

Color	Navy Blue
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	100% Polyester Liner
Filling Material	190 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1024/F Navy Blue Oxford High Visibility Parka



Explanation:

Reflective tape on arms, shoulders and chest.

Technical Details:

Color	Navy Blue
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU Parka
Lining	100% Polyester Liner
Filling Material:	190 gr/m2 Polyester
Reflective:	High Visibility



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1031 Navy Blue Impertex Parka



Explanation:

Inner quilted lining, multi-pocket parka collar, zipper closure on the front, elasticated lower part and two pockets on the chest, interior or portfolio pocket. There is a place to put an ID card.

Technical Details:

Color:	Navy Blue
PPE Category:	Category I
Outer Material:	0.18 MM 170 T Polyester / PVC Parka
Lining :	100% Polyester Liner
Filling Material:	190 gr/m2 Polyester



Packing Details :

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1041 Navy Blue Impertex High Visibility Parka



Explanation :

There is a reflective tape on the body and arms.

Technical Details:

Color:	Navy Blue
PPE Category:	Category I
Outer Material:	0.18 MM 170 T Polyester / PVC Parka
Lining:	100% Polyester Liner
Filling Material:	190 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1051 Yellow Impertex High Visibility Parka



Explanation:

Inner quilted lining, multi-pocket parka collar, zippered front, elasticated lower part and two pockets on the chest, interior portfolio pocket, reflective tapes on the body and arms. There is a place to put an ID card.

Technical Details:

Color:	Yellow
PPE Category:	Category I
Outer Material:	0.18 MM 170 T Polyester / PVC Parka
Lining:	100% Polyester Liner
Filling Material:	190 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

PARKAS



JN1052 Orange Impertex High Visibility Parka



Explanation:

Inner quilted lining, multi-pocket parka collar, zippered front, elasticated lower part and two pockets on the chest, interior portfolio pocket, reflective tapes on the body and arms. There is a place to put an ID card.

Technical Details:

Color:	Orange
PPE Category:	Category I
Outer Material:	0.18 MM 170 T Polyester / PVC Parka
Lining:	100% Polyester Liner
Filling Material:	190 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

VESTS



JN1061 Yellow Oxford High Visibility Reversable Vest





Explanation:

The collar is high gray colored, adjustable on both sides, elastic cord, reflective tapes on the body, two flat pockets with velcro fastening, 1 phone pocket on the chest, a vertical zippered pocket, interior gray lining, can be worn both inside and outside. There is a place to put an ID card.

Technical Details:

Color:	Yellow
PPE Category:	Category I
Outer Material:	300D Polyester/ Oxford PU
Lining:	100% Polyester Liner
Filling Material :	140 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

VESTS



JN1062 Orange Oxford High Visibility Reversible Vest




Explanation:

The collar is high gray colored, adjustable on both sides, elastic cord, reflective tapes on the body, two flat pockets with velcro fastening, 1 phone pocket on the chest, a vertical zippered pocket, interior gray lining, can be worn both inside and outside. There is a place to put an ID card.

Technical Details:

Color:	Orange
PPE Category:	Category I
Outer Material:	300D Polyester/ Oxford PU
Lining:	100% Polyester Liner
Filling Material:	140 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

VESTS



JN1071 Yellow Impertex High Visibility Multiple Pocket Vest






Explanation:

Multi-pocket vest with inner quilted lining. zip-up collar, sleeves with double-layer elastication. two pockets at the bottom, two zippered pockets, two phone pockets on the chest, 1 chest pocket with velcro . There is a place to put an ID card.

Technical Details:

Color:	Yellow
PPE Category:	Category I
Outer Material:	0.18 MM 170 T Polyester / PVC Parka
Lining:	100% Polyester Liner
Filling Material:	160 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

VESTS



JN1072 Yellow Impertex High Visibility Multiple Pocket Vest




Explanation:

Multi-pocket vest with inner quilted lining. zip-up collar, sleeves with double-layer elastication. two pockets at the bottom, two zippered pockets, two phone pockets on the chest, 1 chest pocket with velcro . There is a place to put an ID card.

Technical Details:

Color:	Orange
PPE Category:	Category I
Outer Material:	0.18 MM 170 T Polyester / PVC Parka
Lining:	100% Polyester Liner
Filling Material:	160 gr/m2 Polyester



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

SOFTSHEL CEKET



Softshell Red and Black



Explanation:

It is fleece lined integrated with the outer surface.

Breathable fabric wicks moisture away from the body, keeping you dry and comfortable

It is breathable, windproof and water resistant.

Technical Details:

Color	Red/Black
PPE Category	Category I
Outer Material	94% Polyester, 6% Spandex, 310gr/m2 Polyester Covered with Micro Fleece



Packing Details:

Quantity per Carton	10 adet
Carton Dimensions	60x40x60
Quantity Per Polybag	1 adet/poşet
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

SOFTSHEL CEKET



Yellow High Visibility Softshell



Explanation:

It is fleece lined integrated with the outer surface.

Care Instructions:

Breathable fabric keeps moisture away from the body, keeping you dry and comfortable.
It is breathable, windproof and water resistant.

Care Instructions:

Technical Details:

Color	Yellow / Black
PPE Category	Category I
Outer Material	80% Polyester, 20% Cotton



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

YAĞMURLUK



Impertex Pants





Explanation:

Double reflector, waist pocket.

Technical Details:

Color	Yellow/Orange/Navy Blue
PPE Category	Category I
Outer Material	0.18 MM 170 T Polyester



Packing Material:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1101 / 0,32mm Lined Raincoat




Explanation:

There are two pockets in the front. The front closure is snap closure, the wrists are elasticated on the raincoat arm. The raincoat has a hidden hood on the back of the neck. It is sent in its own special bag. It has a breathable feature.

Technical Details:

Color	Yellow/Navy Blue/Green
PPE Category	Category I
Outer Material	PVC/Polyester/PVC



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1121 / 0,32mm Lined Set




Explanation:

It is a Jacket-Pants Set.

It is a jacket with zipper, snap fastener, hood with drawstring hood, pockets and elasticated sleeves and elasticated trousers with a waistband.

Technical Details:

Color	Yellow/Navy Blue/Green
PPE Category	Category I
Outer Material	PVC/Polyester/PVC



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1100 Yellow Oxford High Visibility Raincoat





Explanation:

Stitched, light and elasticated raincoat, double pockets, concealed hood, double reflective on the shoulder, arm and chest, zipper, snap fastener, raincoat with elasticated sleeves

Technical Details:

Color	Yellow
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1112 Orange Oxford High Visibility Raincoat




Explanation:

Stitched, light and elasticated raincoat, double pockets, concealed hood, double reflective on the shoulder, arm and chest, zipper, snap fastener, raincoat with elasticated sleeves

Technical Details:

Color	Orange
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1113 Yellow Oxford High Visibility Set



Explanation:

It is a Jacket-Pants Set.

Lightweight and elastic sleeve raincoat, jacket with double pockets, concealed hood, double reflective on the shoulder, arm and chest,

Technical Details:

Color	Yellow
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1114 Orange Oxford High Visibility Set



Explanation:

It is a Jacket-Pants Set.

Lightweight and elastic sleeve raincoat, jacket with double pockets, concealed hood, double reflective on the shoulder, arm and chest, Double reflective trousers from the knee.

Technical Details:

Color	Orange
PPE Category	Category I
Outer Material	300D Polyester/Oxford PU



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1132 Impertex Raincoat




Explanation:

There are two pockets on the front. The front closure is with snap fasteners. The wrists of the raincoat sleeve are elastic. The raincoat has a hidden hood on the back of the neck. It is sent in its own special bag.

Technical Details:

Color	Yellow/Navy Blue/Green
PPE Category	Category I
Outer Material	0.18mm 170T Polyester/PVC



Packing details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

Care Instructions:



SAFETY CLOTHES AND GLOVES

RAINCOATS



JN 1142 Impertex Set



Explanation:

There are two pockets on the front. The front closure is with snap fasteners. The wrists of the raincoat sleeve are elastic. The raincoat has a hidden hood on the back of the neck. It is sent in its own special bag.

Technical Details:

Color	Yellow/Navy Blue /Green
PPE Category	Category I
Outer Material	0.18mm 170T Polyester/PVC



Packing Details:

Quantity per Carton	10 adet
Carton Dimensions	60x40x60
Quantity Per Polybag	1 adet/poşet
Pallet Size	80x120-100x120

Care Instructions:




SAFETY CLOTHES AND GLOVES

RAINCOATS



Disposable Raincoats



Explanation:

A disposable raincoat with a hood and a front flap.

Technical Details:

Color	Transparent
PPE Category	Category I
Outer Material	PE



Packing Details:

Quantity per Carton	10 pcs/carton
Carton Dimensions	60x40x60
Quantity Per Polybag	1 pcs/polybag
Pallet Size	80x120-100x120

SAFETY CLOTHES AND GLOVES

Gloves



JN103 Red-Black Latex Glove



Size:

Medium	8 inch
Large	9 inch
X-Large	10 inch

Technical Details:

Color	Red/Black
PPE Category	Category II
Material	13G Polyester Liner
Coating Material	Latex

EN 388 Standard:

Abrasion resistance	Level II
Abscission resistance	Level I
Tear resistance	Level I
Puncture resistance	Level I

Packing Details:

Quantity per Carton	240 pcs/carton
Carton Dimensions	52x26x54
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120-100x120



SAFETY CLOTHES AND GLOVES

GLOVES



JN111/ / 5 Yarn Latex Glove



Sizes:

Large	9 inch
X-Large	10 inch

Technical Details:

Color	Yellow /Green
PPE Category	Category II
Material	Cotton
Coating Material	Latex

EN 388 Standard:

Abrasion resistance	Level II
Abscission resistance	Level I
Tear resistance	Level I
Puncture resistance	Level I

Packing Details:

Quantity per Carton	240 pcs/carton
Carton Dimensions	60x26x64
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120-100x120



SAFETY CLOTHES AND GLOVES

GLOVES



JN1007 PU Glove



Sizes:

x-Small	6 inc
Small	7 inch
Medium	8 inch
Large	9 inch
X-Large	10 inch

Technical Details:

Color	Black
PPE Category	Category II
Material	13G Polyester Liner
Coating Material	PU

EN 388 Standard:

Abrasion resistance	Level II
Abscission resistance	Level I
Tear resistance	Level I
Puncture resistance	Level I

Packing Details:

Quantity per Carton	240 pcs/carton
Carton Dimensions	44x26x46
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120-100x120



SAFETY CLOTHES AND GLOVES

GLOVES



JN102 Welder Glove



Sizes:

14 inch

Technical Details:

Color	Red
PPE Category	Category I
Material	Leather

EN 407 Standard :

Combustion Feature	Level III
Heat Contact	Level I

EN 388 Standard:

Abrasion resistance	Level II
Abscission resistance	Level I
Tear resistance	Level I
Puncture resistance	Level I

Packing Details:

Quantity per Carton	60 pairs/carton
Carton Dimensions	
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120/100x120



EN 407
11XXXX



EN 420



1X1XX



2111



SAFETY CLOTHES AND GLOVES

GLOVES



Gray-Green Reinforced Glove



Sizes:

X-Large	10 inch
---------	---------

Technical Details:

Color	Gray /Green
PPE Category	Category I
Material	Leather
Coating Material	PU

EN 388 Standard:

Abrasion resistance	Seviye II
Abcission resistance	Seviye I
Tear resistance	Seviye I
Puncture resistance	Seviye I

Packing Details:

Quantity per Carton	120 pairs/carton
Carton Dimensions	
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120/100x120



SAFETY CLOTHES AND GLOVES

GLOVES



JN114 Argon Glove



Sizes:

14 inch

Technical Details:

Color	White
PPE Category	Category I
Material	Leather

EN 407 Standard:

Combustion Feature	Level I
Heat Contact	Level I
Heat Transfer	Level I
Small Pieces of Molten Metal	Level I

EN 388 Standard:

Abrasion resistance	Level I
Tear resistance	Level I
Puncture resistance	Level I

Packing Details:

Quantity per Carton	120 pairs/carton
Carton Dimensions	
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120/100x120



EN 420



2011X



EN 407
41XXXX



SAFETY CLOTHES AND GLOVES

GLOVES



Rubber Glove 45 cm Ribbed



Sizes:

11 inch

Technical Details:

Color	Black
PPE Category	Category II
Material	Rubber

EN 388 Standard:

Abrasion resistance	Level III
Abscission resistance	Level I
Tear resistance	Level I

Packing Details:

Quantity per Carton	72 pcs/carton
Carton Dimensions	48x37,5x29
Quantity Per Polybag	1 pair/polybag
Pallet Size	80x120/100x120



EN 420



3110



SAFETY CLOTHES AND GLOVES

GLOVES



Rubber Glove 45 cm Smooth



Sizes:

11 inch

Technical Details:

Color	Black
PPE Category	Category II
Material	Rubber

EN 388 Standard:

Abrasion resistance	Level III
Abscission resistance	Level I
Tear resistance	Level I

Packing Details:

Quantity per Carton	72 pcs/carton
Carton Dimensions	48x37,5x29
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120/100x120



EN 420



3110



SAFETY CLOTHES AND GLOVES

GLOVES



60 cm Ribbed Glove



Sizes:

11 inch

Technical Details:

Color	Black
PPE Category	Category II
Material	Rubber

EN 388 Standard:

Abrasion resistance	Level III
Abscission resistance	Level I
Tear resistance	Level I

Packing Details:

Quantity per Carton	72 pcs/carton
Carton Dimensions	61x37,5x29
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120/100x120



EN 420



3110



SAFETY CLOTHES AND GLOVES

GLOVES



60 cm Flat Glove



Sizes:

11 inch

Technical Details:

Color	Black
PPE Category	Category II
Material	Rubber

EN 388 Standard:

Abrasion resistance	Level III
Abscission resistance	Level I
Tear resistance	Level I

Packing Details:

Quantity per Carton	72 pcs/carton
Carton Dimensions	61x37,5x29
Quantity Per Polybag	1 pairs/polybag
Pallet Size	80x120/100x120



EN 420



3110



SAFETY CLOTHES AND GLOVES

GLOVES



Green Nitrile Glove



Sizes:

11 inch/33 cm

Technical Details:

Color	Green
PPE Category	Category II
Material	Nitrile

EN 388 Standard:

Abrasion resistance	Level III
Abscission resistance	Level I
Puncture resistance	Level I

Packing Details:

Quantity per Carton	120 pairs/carton
Carton Dimensions	
Quantity Per Polybag	1 pair/polybag
Pallet Size	80x120/100x120



EN 420



3101



EQUIPMENT

PERSONAL PROTECTIVE EQUIPMENTS

PPE Face and Head



Automatic Welding Face Shield



Technical Details:

Color	Black
Material	Fiberglass
Filter model	BY350F
Field of view	90-35 mm
Power source	Solar energy
UV and IR protection	Continuous up to DIN 16
Light condition	Karartma değeri DIN3
Blackening control	DIN11
Blackout time	1/15000 ms
Operating temperature	(-5)-(+55) C

Packing Details:

Quantity per carton	6 pcs/carton
---------------------	--------------

EQUIPMENT

PERSONAL PROTECTIVE EQUIPMENTS

PPE Face and Head



Adjustable Automatic Welding Face Shield

**Explanation:**

Fiberglass light piece, eye protection glass provides UV light and protection against electrical feeds. Head mounted and for the price. It has light with battery and solar energy. It is CSA AS/NZS certified.

Packing Details:

Quantity per carton :	25 pcs/carton
-----------------------	---------------

Technical Details:

Color	Black
Material	Fiberglass
Filter Model	433E
Field of view	93x43 mm
Power source	Solar energy+ Lithium Battery
UV and IR protection	Continuous up to DIN 16
Light condition	DIN4
Blackening control	DIN9-13
Blackout time	1/25000 ms
Operating temperature	(-5)-(+55) C
Mask Model	Jasmine
Opening and closing	Fully automatic

EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Face and Head



Face Shield Visör



Technical Details:

Material:	PVC / Aliminium
-----------	-----------------

Packing Details:

Quantity per carton:	25 pcs/carton
----------------------	---------------

Explanation:

It can be integrated into the helmets produced for the helmet and produced according to the appropriate standards, and it is produced so that the visor can be used.



Welding Face Shield

Narrow Glass



Wide Glass



Explanation:

Fiberglass light piece, eye protection glass provides UV light and protection against electrical feeds. It is set manually.

Technical Details:

Color	Black
Material	PVC
Wide Glass Size	110x80mm
Narrow Glass Size	108x51mm

Packing Details:

Quantity per carton	6 pcs/carton
---------------------	--------------

EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Face and Head



Face Shield Visor Glass



Explanation:

It can be easily fixed and changed with its adjustable feature. It is scratch resistant. Since the glass edge is covered with aluminium, it is scratch and tear resistant.

Technical Details:

Material	PVC / Aluminium
----------	-----------------

Packing Details:

Quantity per carton	100 pcs/carton
---------------------	----------------



Bracket



Explanation:

It can be integrated into the helmets produced for the helmet and produced according to the appropriate standards, and it is produced so that the visor can be used.

Technical Details:

Color	Black
Material	PVC

Packing Details:

Quantity per carton	100 pcs/carton
---------------------	----------------

EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Face and Head



Ear Muff



Explanation:

It is used against the possibility of damaging your eardrum if there is an intense sound level in your working environment. Soft head device. It has the feature of muting the sound up to 25.5 decibels..

Technical Details:

Color:	Red or Yellow
Outer Material:	PVC
Material in Contact with the Ear:	Leather
Decibel of red:	SNR 27 dB
Decibel of yellow:	SNR 25,5 dB

Packing Details:

Quantity per carton	50 pcs/carton
---------------------	---------------

EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Lifting

HARU® Retractable Type Fall Arrester (Turkey Distributorship)



Technical Details:


Color	Orange
PPE Category	Category II
Wire Diameter	4 mm
Wire material	Stainless Steel Wire Rope

Wire Rope Dimensions:

HE-3,5D	Polyester rope	D:25MM X 3,5M
HE-06	Wire Rope	D:4.8mm X 6M
HE-10	Wire Rope	D:4.8mm X 10M
HE-15	Wire Rope	D:4.8mm X 15M
HE-20	Wire Rope	D:4.8mm X 20M

Packing Details:

HE-3,5D	2 pcs/carton
HE-06	2 pcs/carton
HE-10	2 pcs/carton
HE-15	2 pcs/carton
HE-20	2 pcs/carton



EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Lifting

HARU® Tripod (Turkey Distributorship)



Technical Details:

Color	Turuncu
PPE Category	Category II
Material	Aluminum/Stainless Rope Wire
Wire Diameter	5 mm
Working height	240 cm
Diameter Fully Open Feet	210 cm
Maximum Working Load	100 kg

Paketleme Detayı:

Quantity per carton	10 pcs/carton
Quantity per polybag	1 pcs/polybag

Tripod Dimension:

HD-240-20	D:5 mm X 20 M
-----------	---------------

EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Lifting



JN6104 Twin Legged Energy Absorbing Lanyard




Technical Details:

Rope	Polyester Rope 12 mm
Stainless steels	Hook Opening 51 mm
Absorber	Polyamid
PPE Category	Category III

Packing Details:

Quantity per carton	10 pcs/carton
Quantity per polybag	1 pcs/polybag


Max Length in Fall	2m
--------------------	----


Allgemeine Unfallversicherungsanstalt
 Sicherheitstechnische Prüfstelle
 Akkreditierte und notifizierte
 Produktzertifizierungsstelle
 EU-Kennnummer 0511

EU-Baumusterprüfbescheinigung /
EU Type Examination Certificate
 Nr.: 2019-5242
 Gültigkeit bis/valid until: 22.01.2024

Auftrag vom/Date of order:	03.12.2018
Auftrag/Order nr.:	STP 4878
Name und Anschrift des Beschäftigten/Name and address of holder of the certificate:	SGT Sanayi ve Ticari Ürünler Dış Ticaret A.Ş. Dokuz Eylül Mah. Kahramanlar Cad. No. 39 35410 Gazimihal, İzmir, TURKEY
Name und Anschrift des Herstellers/Name and address of manufacturer:	SGT Sanayi ve Ticari Ürünler Dış Ticaret A.Ş. Dokuz Eylül Mah. Kahramanlar Cad. No. 39 35410 Gazimihal, İzmir, TURKEY
Produktbezeichnung/Produkt:	Lanyard and Energy Absorber
Typ/Type:	JN6104
Artikel/Article:	---
Bestimmungsgemäße Verwendung - Kategorie/Category:	Sicherung gegen Absturz von Personen - Kat. III / Personal protective equipment against falls from a height - Category III
Prüfnorm/Test standard:	EN 355:2002
Datum der Prüfung/Date of testing:	18.01.2019
Prüfbericht/Test report nr.:	PB 2019-5242
Prüfstelle/Notified body:	AUNVA-STP / Austrian Workers Compensation Board, Safety Technical Testing Centre
Bemerkungen/Remarks:	Das geprüfte Baumuster oben genannten Typs entspricht den Bestimmungen der PSA-Verordnung (EU) Nr. 2016/425 (Persönliche Schutzausrüstungen). Dem CE-Kennzeichen ist nur dann die Kenn-Nr. 0511 hinzuzufügen, wenn durch einen gültigen „Überwachungsvertrag“ eine Überwachung gem. Modul C2 bzw. Modul D durch die STP geregelt ist. The tested prototype of the above mentioned type meets the requirements of the PPE Regulation (EU) No. 2016/425 (Personal Protective Equipment). To the CE-marking the number of the NB 0511 is only allowed to be added, if the monitoring is regulated by a valid „Monitoring Contract“ in accordance with Module C2 or Module D through the STP.

Wien/Vienna, 23.01.2019
 Diese EU-Baumusterprüfbescheinigung ist Eigentum der Sicherheitstechnischen Prüfstelle der AUNVA.
 The owner of this EU Type Examination Certificate is the Safety Technical Testing Center.
 Address: Bismarckstr. 100, 1020 Wien | Telefon: +43 (0) 69 60-21776 | E-Mail: STP@aunva.at | Fax: +43 (0) 69 60-21783
 DNR 24165, UID-Nr. 10217760
 PB-Zertifikat Vers. 03
 © Wapacnet 10.07.2018




EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Lifting



Safety Rebar Hook



Technical Details:

Material	Steel
Safety	Double safety
Mouth opening	53 mm
Tensile Strength	25 kN/5600 LBS

Packing Details:

Quantity per carton	40 pcs/carton
---------------------	---------------



Safety is our first priority™

Safety Rebar Hook (Turkey Distributorship)



Safety is our first priority

Technical Details:

Material	Steel
Safety	Double safety
Mouth opening	53 mm
Tensile Strength	25 kN/5600 LBS

Packing Details:

Quantity per carton	40 pcs/carton
---------------------	---------------

EQUIPMENTS

PERSONAL PROTECTIVE EQUIPMENTS

PPE Lifting



Safety Rebar Hook Certificated



Technical Details:

Material	Steel
Tensile Strength	25 kN
Mouth opening	16 mm

Packing Details:

Quantity per carton	40 pcs/carton
---------------------	---------------



Safety is our first priority™

Safety Rebar Hook Certificated



Technical Details:

Material	Steel
Tensile Strength	25 kN
Mouth opening	16 mm

Packing Details:

Quantity per carton	40 pcs/carton
---------------------	---------------



EQUIPMENTS

Lifting Equipments



Hand Pallet Truck 2500kg



Explanation:

Long operating life and low maintenance cost.

The special high pressure relief valve is equipped with anti-overload gaskets to seal and protect the body from oil leakage.

Technical Details:

Color of pallet truck body:	Orange
Pump color:	Black
Handle Color:	Black
Loading Capacity:	Max 2500 kg
Minimum height:	75 mm
Maximum height:	185 mm
Lifting height:	110 mm
Width:	1150 mm
Wheel Material:	PU

Packing Details:

Pcs/Pallet	6 pcs/pallets
Pallet Sizes	55x220 cm

EQUIPMENTS

Lifting Equipments



Webbing Sling



Technical Details:

Material	Polyester
Factor of safety	6:1

Packing Details:

TON	1M	2M	3M	4M	5M	6M	8M	10M
1	50 pcs		40 pcs					
2		30 pcs	25 pcs	20 pcs	15 pcs	13 pcs		
3				12 pcs	15 pcs	13 pcs		
4		15 pcs	12 pcs	10 pcs	9 pcs	6 pcs		
5		10 pcs	8 pcs	6 pcs	6 pcs	6 pcs	4 pcs	
6		8 pcs	6 pcs	5 pcs	5 pcs	4 pcs	2 pcs	
8			4 pcs	3 pcs	2 pcs	2 pcs	2 pcs	
10			3 pcs	2 pcs	2 pcs	2 pcs	1 pcs	1 pcs

Size tablo:

TON	1M	2M	3M	4M	5M	6M	8M	10M
1	X	X	X	X				
2		X	X	X	X	X		
3		X	X	X	X	X	X	
4		X	X	X	X	X	X	
5		X	X	X	X	X	X	
6		X	X	X	X	X	X	
8			X	X	X	X	X	
10			X	X	X	X	X	X

EQUIPMENTS

Lifting Equipments



Chain Block

Lifting capacity
1TX3M
1TX5M
2TX3M
2TX5M
3TX3M
3TX5M
5TX3M
5TX5M



Technical Details:

Color	Dark Blue
Type of Load Chain Grade	G-80
Chain Diameter	6 mm

Packing Details:

Quantity per carton	1 pcs/carton
---------------------	--------------



Lever Block



Lifting capacity
0,75TX1,5M
1,5TX1,5M
3TX1,5M
6TX1,5M

Color	Dark Blue
Type of Load Chain Grade	G-80
Chain Diameter	6 mm

Quantity per carton	1 pcs/carton
---------------------	--------------

EQUIPMENTS

Lifting Equipments



Ratchet Tie Down Belt



Technical Details:

Color	Orange/Black
-------	--------------

Packing Details:

Color	Orange/Black
-------	--------------

Dimensions

50 mm 2"x2Tx10M
50 mm 2"x5Tx10M
20Mx10M



Hand Puller



Dimensions

1T
2T

Technical Details:

Color	Metalic
-------	---------

Packing Details:

Quantity per carton	5 pcs/carton
---------------------	--------------

EQUIPMENTS

Lifting Equipments



Bottle Jack



Technical Details:

Color	Blue
-------	------

Packing Details:

2T Packing	10 pcs/carton
3T Packing	8 pcs/carton
5T Packing	6 pcs/carton
10T Packing	1 pcs/carton

Dimensions:

2T	158-308 MM
3T	195-380 MM
5T	197-382 MM
10T	205-390 MM



Garage Jack

Technical Details:

Color	Navy Blue
-------	-----------

Packing Details:

Quantity per carton	1 pcs/carton
---------------------	--------------

Dimensions:

2T	135-335 MM
----	------------

EQUIPMENTS

Lifting Equipments



Electric Wire Rope Hoist



Technical Details:

Color	Red
-------	-----


Packing Details:

Quantity per carton	1 pcs/carton
---------------------	--------------

Weight	Power	Rope Length
125/250 kg	500W	20M Steel rope
250/500 kg	1000W	20M Steel rope
400/800 kg	13000W	20M Steel rope
500/1000 kg	1600W	20M Steel rope
600/1200 kg	1900W	20M Steel rope



Hand Winch (With/Without Rope)



Technical Details:

Color	Black
Capacity	600lb/1200lb/2000lb

Packing Details:

Quantity per carton	8 pcs/carton
---------------------	--------------

EQUIPMENTS


Connection Equipments



Elect.Galv.DIN 5299 Form C Snap Hook



without
screw



Technical Details:

Color	Elektro Galvaniz
-------	------------------

Dimension and Packing Details:

4mm	3000 pcs/carton
5mm	2000 pcs/carton
6mm	1000 pcs/carton
8mm	500 pcs/carton
10mm	250 pcs/carton



Galv. Steel Wire Clip Type A



Technical Details:

Material	Elektro Galvaniz - Yellow
----------	---------------------------

Dimension and Packing Details:


6mm	1800 pcs/polybag
8mm	1400 pcs/polybag
10mm	400 pcs/polybag
12mm	200 pcs/polybag
15mm	100 pcs/polybag

EQUIPMENTS

Connection Equipments



Galv.Commercial Turnbuckle With Eye&Hook



Technical Details:

Material	Elektro Galvaniz
----------	------------------

Dimension and packing details:

6mm	1800 pcs/polybag
8mm	1400 pcs/polybag
10mm	400 pcs/polybag
12mm	200 pcs/polybag



Galv. Wire Rope Clip DIN 741



Technical Details:

Material	Elektro Galvaniz
----------	------------------

Dimensions and Packing Details:

6mm	1800 pcs/carton
8mm	1400 pcs/carton
10mm	400 pcs/carton
12mm	200 pcs/carton
15mm	100 pcs/carton

EQUIPMENTS

Connection Equipments



Safety is our first priority™

Rope Grab With Eye- N602



Technical Details:

Material	Steel
Rope Diameter	16 mm
Maximum Load	3600 lbs /16 kN
Standards	ANSI Z359.1 / EN 353-2

Packing Details:

Quantity per carton	45 pcs/carton
---------------------	---------------



Safety is our first priority™

Stainless Steel Rope Grab - N621



Technical Details:

Material	Steel
Wire Rope Diameter	8 mm
Maximum Load	3600 lbs/ 16 kN
Standards	ANSI Z359.1 / EN 353-2

Packing Details:

Quantity per carton	45 pcs/carton
---------------------	---------------

EQUIPMENTS

Electrical Equipments



1600 W Electric Drill Mixer



Packing Details:

Quantity per carton	1 pcs/carton
---------------------	--------------

Technical Details:

Double speed adjustable
1600W



Hot Air Gun



Technical Details:

Outer Material	Heat resistant
Maximum Temperature	300-600
Heat Setting	2 Gradual Heat Adjustment
Watt	2000

Technical Details:

Quantity per carton	10 adet/koli
---------------------	--------------



Air Comp.Kit 5 pcs



Contents:

Short Air gun
Air Tire Inf . Gun
Spray Gun
Rotary Action Drum Pump
Spiral hose

Technical Details:

Air Consumption	7,5 cfm
Air pressure	30 - 120 psi

Packing Details:

Quantity per carton	10 pcs/inner carton - 1 pcs/ carton
---------------------	-------------------------------------

EQUIPMENTS

Electrical Equipments



Vibrator Motor



Japanese Type

Connection Type	6 corner pins
Speed	4000
Power	2300 W
Volt	210-110

Shoulder Type

Connection Type	Half Moon
Speed	4000
Power	2300 W
Volt	210-110

Wacker Type

Connection Type	Pimli	Connection Typei	Yarım ay
Speed	18000	Speed	4000
Power	2300 W	Power	2300 W
Volt	210-110	Volt	210-110

Floor Type

Packing Details:

Quantity per carton	1 pcs/carton
---------------------	--------------



Vibrator Hose



Technical Details:

Main material	Rubber
Thickness	1.6 mm
Width	18 mm
Tensile strength	800 N
Bottle diameter	45-38 mm
Hose length	4 m

Dimension Details

Turkish Type
4x45M
6x45M
6x48M

Japanese Type
4x45M
6x45M

Packing Details:

Quantity per carton	1 pcs/carton
---------------------	--------------

EQUIPMENTS

Hardware

Drop in Anchor



Technical Details:

Color	Yellow
Material	Steel

Packing Details:

Quantity per carton	500 pcs/carton
---------------------	----------------

Dimensions:

Width	Length
12 mm	50 mm

Pressure Sprayer 2L



Technical Details:

Color	Green
Material	PVC
Capacity	2LT
Spray nozzle	Brazen

Packing Details:

Quantity per carton	20 pcs/carton
---------------------	---------------

Rubber Wheel 3,5*32



Technical Details:

Color	Green
Rim Thickness	1,00 mm
Bearing bore inside diameter	20 mm
Wheel diameter	350 mm
Loading capacity	100 kg
Wheel width	100 mm
Shaft hole diameter	20 mm

Packing Details:

Quantity per bag	5 pcs/bag
------------------	-----------



Self Drilling Screws



Explanation:

DIN7504K/P/N, AS3566.1, JIS, IFI

Diameter: #6 ~ #14 (M3.5~M6.3)

Length: 3/8"~6" (9.5mm~150mm)

Thread Type :Type BSD, CSD

Coating: Zinc Plated, Zinc Yellow Plated, Mechanical Zinc Plated and Nickel Plated

Material Grade: Carbon Steel SAE 1022

Self Drilling Pan Head

Dimension	Pcs/Carton
3,9*13	
3,9*16	
3,9*19	
4,8*60	1800 pcs
4,8*70	1500 pcs
4,8*80	

Self Drilling Csk Flat

Dimension	Pcs/Carton
3,9*13	
3,9*16	18000 pcs
3,9*19	15000 pcs
3,9*22	12000 pcs
3,9*25	10800 pcs
3,9*32	
3,9*38	6000 pcs
4,2*45	
4,8*25	
4,8*32	
4,8*38	
4,8*50	
4,8*60	
4,8*70	1800 pcs
4,8*80	

Self Drilling Wafer Truss

Dimension	Pcs/Carton
3,9*13	12000adet
3,9*16	12000 adet
3,9*19	
3,9*25	
4,2*16	
4,2*19	
4,2*25	

Hex.Washer Head Self

Dimension	Pcs/Carton
5,5*25	
5,5*32	
5,5*38	
5,5*50	
5,5*60	



Dry Wall Screws



Explanation:

DIN, IFI, ANSI/ASTM

Diameter: #6~#12 (M3.5~M5.5)

Length: 5/8"~6" (16mm~150mm)

Tooth Type: Fine, Coarse

Coating: Zinc Plated, Zinc Yellow Plated, Gray Phosphated, Mechanical Zinc Plated

Material Class: Carbon Steel SAE 1022

Dry Wall Screw Tapping Head


Dimension	Pcs/Carton
3,5*25	
3,5*35	
3,5*45	

Dry Wall Screw Fine

Dimension	Pcs/Carton
3,5*25	
3,5*35	
3,5*45	



Hinge Screw Csk Flat



Technical Details:


Color	Silver grey
Material	Fiberglass

Dimensions and Packing Details:

Dimensions	Quantity per Carton
4,0*25	
3,9*38	



Espagnolet Screw Cks Flat Head



Technical Details:


Color	Silver grey
Material	Fiberglass

Dimensions and Packing Details:

Dimensions	Quantity per Carton
3,9*25	
3,9*38	



Plain Type Fiberglass Insect Screen



Technical Details:

Color	Silver Grey
Material	Fiberglass

Packing Details:

Quantity per bag	10 roll/bag
------------------	-------------

Dimensions:

Length	Eye range	Width
80 cm	18x16 mm	30 cm
100 cm	18x16 mm	30 cm
120 cm	18x16 mm	30 cm
140 cm	18x16 mm	30 cm
150 cm	18x16 mm	30 cm
180 cm	18x16 mm	30 cm
200 cm	18x16 mm	30 cm
220 cm	18x16 mm	30 cm
240 cm	18x16 mm	30 cm
280 cm	18x16 mm	30 cm



Aluminium Alloy Insect Screen



Technical Details:

Color	Silver Grey
Material	Alüminyum

Packing Details:


Plastic Film	1 roll/film
--------------	-------------

Dimensions:

Length	Eye range	Width
80 cm	18x16 mm	30 cm
100 cm	18x16 mm	30cm
120 cm	18x16 mm	30 cm
150 cm	18x16 mm	30 cm



Electro Galv. Wire Netting -Cutting Edge



Technical Details:

Color	Silver grey
Material	Elektrogalvaniz

Packing Details:

Plastic Film	1 roll/film
--------------	-------------

Dimensions:

NO:4 1X25M
NO:6 1X25M
NO:8 1X25M



PVC Coated Welded Wire Mesh



Technical Details:

Color	Green
Material	PVC Coating

Packing Details:

Plastic Film	1 roll/film
--------------	-------------

Dimensions:

Thickness	Eye Range	Length
1,25 mm	12,7x12,7	1x25 m
1,25 mm	12,7x12,7	1,2x25 m
1,25 mm	12,7x12,7	1,5x25 m
1,25 mm	25,4x25,4	1x25 m
1,25 mm	25,4x25,4	1,2x25 m
1,25 mm	25,4x25,4	1,5x25 m



Electro Galv. Square Wire Mesh -Closed Edge



Technical Details:

Color	Silver Gray
Material	Elektro galvaniz

Packing Details:

Plastic Film	1 roll/film
--------------	-------------

Dimensions:

Numbers	Width	Length
4	1 m	25 m
6	1 m	25 m
8	1 m	25 m
10	1 m	25 m
12	1 m	25 m



Expanded Mesh

Technical Details:

Color	Black
Material	Stainless galvaniz

Packing Details:


Plastic film	1 roll/film
--------------	-------------

Dimensions:

Thickness	Eye range	Length
9mm	28mm	1 m x50 m



Electro Galv. Wire Netting -Cutting Edge



Technical Details:

Color	Metal Gray
Material	Elektro galvaniz

Packing Details:

Plastic Film	1 roll/film
--------------	-------------

Dimensions:

1.05mm	12.7X12.7	1.0X25m
1.05mm	12.7X12.7	1.2X25m
1.05mm	12.7X12.7	1.5X25m



PVC Coated Welded Europe Fence



Technical Details:

Color	Green
Material	Pvc coating

Packing Details:

Plastic film	1 roll/film
--------------	-------------

Dimensions:

Thickness	Eye range	Lenght
2.5 mm	50X50 mm	1.0X25 m
2.5 mm	50X50 mm	1.2X25 m



Alkali-Resistant Fiberglass Mesh



Technical Details:

Color	Orange
Eye range	4x4 mesh

Dimensions and Packing Details:

Weight	Length	Packing
75 gr	50 mt	2 roll/carton
160 gr	50 mt	2 roll/polybag

Explanation:

Usage areas:

- External and internal thermal insulation jacketing systems
- 160 gram plaster mesh for interior, rough plaster and gypsum plaster applications
- Carrier reinforcement in floor screed plaster applications
- Exterior putty and repair applications
- Hollow styrofoam between floors in concrete



Self Adhesive Mesh Tape



Technical Details:

Color	White
Material	Contains glass fiber.

Dimensions and Packing Details:

Width	Length	Quantity per carton
5 cm	45 m	54 pcs/carton
5 cm	90 m	24 pcs/carton
10 cm	90 m	12 pcs/carton
20 cm	90 m	6 pcs/carton


Explanation:

It is used to prevent possible cracks in the joints of indoor plasterboards.

- It is self-adhesive.
- Can be applied quickly



Ptfe Tape



Technical Details:

For gas ;

Color	Yellow
Material	PTFE
Intensity	0,80g/m3
Heat resistance	-190/+370C
Tensile resistance	%25

Dimensions:

Width	Thickness	Lenght
12 mm	0,100 mm	8 m

Packing Details:

Quantity per carton	1000 pcs/carton
---------------------	-----------------

For water ;

Color	White
Material	PTFE
Intensity	0,25g/m3
Heat resistance	-190/+370C
Tensile resistance	%25

Dimensions:

Width	Thickness	Lenght
12 mm	0,076 mm	10 m



Bopp Tape



Explanation:

- Easy and fast to use
- It is odorless and environmentally friendly.

Technical Details:

Color	Transparent
Sticky	Holtmelt

Dimensions and packing details:

Width	Lenght	Packing
45 cm	100 m	72 pcs/carton

Non-slip Tape



Technical Details:

Color	Black/Gray/Yellow
-------	-------------------

Dimensions and packing details:

Thickness	Length	Packing
25 mm	10 mt	72 pcs/carton
25 mm	15 mt	72 pcs/carton
25 mm	25 mt	48 pcs/carton
50 mm	10 mt	36 pcs/carton
50 mm	15 mt	36 pcs/carton
50 mm	25 mt	24 pcs/carton

Reflective Tape



Technical Details:

Color	Silver Gray
Material	%100 Polyester
Weight	270gr/m2

Dimensions and packing details:

Length	Width	Packing
100 m	5 cm	10 pcs/carton
300 m	5 cm	10 pcs/carton

Measuring Tape



Explanation:

It has auto rewind and lock feature.


Technical Details:

Case type	ABS case
Measuring distance	3 m / 5 m / 10 m
Color	Yellow/Blue/Green/Red
Belt hook	Chrome plated

Dimensions and packing details:

Length	Thickness	Quantity per carton
3	16 mm	120pcs/carton
5	19 mm	120pcs/carton
5	25 mm	96pcs/carton

Long Measurement Tape



Technical Details:

Strip	Fiberglass/Steel	Length	Quantity per carton
Case	ABS case	20 m	10 pcs/carton
Reel arm	Foldable	30 m	10 pcs/carton
		50 m	10 pcs/carton

Explanation:

Used in land measurements.

Spray Gun



Technical Details:

Capacity	1 lt
Material	Aluminium
Working pressure	3,5 bar
Nozzle density adjustment	1,5 mm /1,7 mm /1,8 mm

Packing Details:

Quantity per carton	20 pcs/carton
---------------------	---------------

Washing Gun



Technical Details:

Pressure	Maximum 4,5 bar
Recommended pressure	2,5-3,5 bar
Capacity	1 lt
Nozzle length	21 cm
Hose connection	1/4

Packing Details:

Quantity per carton	20 pcs/carton
---------------------	---------------

Air Tire Inf . Gun



Technical Details:

Color	Red /Navy Blue
Material	Aluminium
Working pressure	Maximum 16 bar
Nozzle lenght	400 mm

Packing Details:

Quantity per carton	50 pcs/carton
---------------------	---------------

It has a trigger, 220 Psi Indicator.



Air Gun Long/Short

Technical Details:

Color	Blue
Material	Aluminium
Working pressure	Maksimum 16 bar
Short muzzle length	2,5 cm
Long mouth length	20 cm

Packing details:

Quantity per carton	100 pcs/carton
---------------------	----------------



Concrete mixer

Technical Details:

Model Number	Motor power	Boiler Volume	Rotation speed
JS120L	550 W	120 L	27-31/min
JS160L	650 W	160 L	27-31/min
JS200L	900 W	200 L	27-31/min
JS260L	1200 W	260 L	27-31/min

Packing Details:

Quantity per carton	100 pcs/carton
---------------------	----------------



Rotary Action Drum Pump



Technical Details:

Color	Red /Navy Blue
Transfer distance	135 cm
Transport distance	419 mm
Hose size	3/4"

Packing details:

Quantity per carton	6 pcs/carton
---------------------	--------------

The pipe part consists of 3 parts.



SGT SANAYİ VE TİCARİ ÜRÜNLER DIŞ TİCARET A.Ş.
Dokuz Eylül Mahallesi Kahramanlar Caddesi no.39 Gaziemir, İzmir
T:0232 251 51 89 | F:251 58 12
info@sgt.com.tr
www.sgt.com.tr